

ELECTRO POWER

Powering Performance. Protecting Engines.

PRODUCT CATALOGUE

ENGINE COOLANTS

BUILD FOR EXTREME CONDITIONS, PROVIDES SUPERIOR PROTECTION



PREMIUM PERFORMANCE ENGINE COOLANTS



Prevents
Overheating



Anti-Corrosion
Protection



Ideal for
All Vehicles



Manufacturer of Automotive and Industrial Fluids.
www.electropower.akvgroups.com

PRODUCT DETAILS

Extending Engine Longevity with Original Compatibility Original Equipment, Extended Life Protection

ELECTRO POWER Coolant & Anti-Freeze

ELECTRO POWER Vehicle-Specific Coolant is engineered to protect your engine with a perfect balance of OEM compatibility and advanced long-life performance. This premium antifreeze and coolant solution delivers reliable protection against extreme temperatures, corrosion, and wear-while maintaining strict adherence to original vehicle specifications.

Designed for modern engines, it ensures consistent performance, extended service life, and maximum cooling efficiency under all driving conditions.

Why Choose ELECTRO POWER Coolant

- **OEM (Original Equipment Manufacturer) Compatibility:** Formulated to meet or exceed vehicle manufacturer specifications, ensuring safe and reliable use across a wide range of makes and models.
- **Extended Service Life Protection:** Provides longer replacement intervals compared to conventional coolants, helping reduce maintenance frequency and overall operating costs.
- **Advanced Corrosion Protection:** High-performance inhibitor technology protects critical metal components including aluminium, copper, brass, and steel from rust and corrosion.
- **Superior Temperature Performance(50°C):** Delivers reliable engine protection in both extreme cold and high-temperature conditions, preventing freezing, boiling, and overheating.
- **Long-Lasting Chemical Stability:** Maintains pH balance and corrosion inhibitor effectiveness over extended periods, ensuring sustained engine protection and durability.
- **System-Wide Material Compatibility:** Safe for use with modern cooling system materials including rubber gaskets, seals, hoses, and plastic components, preventing swelling, cracking, or degradation.

Ideal for

Suitable for passenger cars, light commercial vehicles, and trucks requiring a high-performance, long-life coolant that meets OEM standards and ensures dependable year-round engine protection.



ELECTRO POWER Premium Quality Assurance for Extended Engine Protection



PRODUCT DETAILS

Engine Coolant Additive

EXTENDED LIFE TECHNOLOGY

- Prevents Corrosion
- Biodegradable
- Non Abrasive
- No Mixing Required
- Economical
- Chemically Stable
- Uniform Heat Displacement
- Lubricates Water Pump
- No Extra Additives Necessary
- Non Flammable
- Ready To Use
- Non Foaming

CONVENTIONAL GREEN EXTENDED LIFE

PROTECTS UP TO 5 YEARS
- 150,000 MILES
READY TO USE
SUMMER FORMULA FOR
NON-FREEZING CLIMATE

PART#
AR61
AR1232
AR55-G

PACK
6/1 GAL.
12/1 QTS
55 GAL. DRUM



ASIAN VEHICLES RED EXTENDED LIFE

PROTECTS UP TO 7 YEARS
- 250,000 MILES
READY TO USE
SUMMER FORMULA FOR
NON-FREEZING CLIMATE

PART#
AR61-R
AR1232-R
AR55-R

PACK
6/1 GAL.
12/1 QTS
55 GAL. DRUM



DIESEL PLUS EXTENDED LIFE EV + ANTIFREEZE + COOLANT

50/50 READY TO USE
EXTENDED LIFE
PROTECTION
Protects up to 5 years-
150,000 Miles

COLOR
RED
BLUE
ORANGE

PART #
AFCEV04R
AFCEV04B
AFCEV04O

PACK
6/1 GAL.
6/1 GAL.
6/1 GAL.



ELECTRO POWER

Powering Performance. Protecting Engines.

PRODUCT DETAILS

Engine Coolant Additive

EXTENDED LIFE TECHNOLOGY

- Prevents Corrosion
- Biodegradable
- Non Abrasive
- No Mixing Required
- Economical
- Chemically Stable
- Uniform Heat Displacement
- Lubricates Water Pump
- No Extra Additives Necessary
- Non Flammable
- Ready To Use
- Non Foaming

ENGINE COOLANT ADDITIVE


CONVENTIONAL GREEN

Protects up to 5 Years - 150,000 Miles
Summer Formula for Non Freezing Climate

ASIAN VEHICLE RED EXTENDED LIFE

Protects up to 7 Years - 250,000 Miles
Summer Formula for Non Freezing Climate

PART#	PACK
LK61	6/1 GAL.
LK55G	55 GAL. DRUM
LK61-R	6/1 GAL.
LK55-R	55 GAL. DRUM



FULL COOLING SYSTEM PROTECTION

Choose OE-XLP for a coolant solution that not only enhances performance but also extends the life of your engine.



ELECTRO POWER Premium Quality Assurance for Extended Engine Protection








Manufacturer of Automotive and Industrial Fluids.
www.electropower.akvgroups.com

PRODUCT DETAILS








Vehicle Specific Antifreeze + Coolant

What Coolant is Best for Your Vehicle?

PRODUCT BENEFITS	ASIAN VEHICLES			EUROPEAN VEHICLES	
					
PART NUMBER	READY TO USE AFCVS01R	READY TO USE AFCVS01B	READY TO USE AFCVS01G	READY TO USE AFCVS02T	READY TO USE AFCVS02V
RECOMMENDED FOR	LEXUS, SCION & TOYOTA	ACURA, HONDA, INFINITI, NISSAN, SUBARU & SUZUKI	HYUNDAI, INFINITI, KIA, MAZDA, MITSUBISHI, NISSAN, SUBARU & SUZUKI	AUDI, BMW, JAGUAR, MERCEDES, MINI, PORSCHE, VOLVO & VW	AUDI, MERCEDES, PORSCHE & VW
COLOR	RED	BLUE	GREEN	TEAL	VIOLET
FLUID/LIFE PROTECTION*	10 YEARS / 300,000 MILES EXTENDED LIFE PROTECTION	10 YEARS / 300,000 MILES EXTENDED LIFE PROTECTION	10 YEARS / 300,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION
COOLANT/WATER RATIO	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE
TECHNOLOGY & FORMULA SPECS					
COMPATIBILITY FORMULA**	POAT & OAT	POAT & OAT	POAT & OAT	HOAT & G48®/G11®	HOAT & G40®/G12®++ & GG40®/G13®
MEETS OR EXCEEDS, PERFORMANCE, REQUIREMENTS, FOR THE FOLLOWING, SPECIFICATIONS	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985
WORKS WITH ALL ALUMINUM & CAST IRON COMPONENTS					

THIS IS STRICTLY A GUIDE*In U.S.A., as of time of publication. With a complete flush and fill.**Always refer to the vehicle manufacturer owner's or service manual for the recommended change intervals, cooling system capacity, and specific cooling system service instructions.

Antifreeze + Coolant Reference Chart

AMERICAN				ELECTRIC & HYBRID VEHICLES		
						
READY TO USE AFCVS02P	READY TO USE AFCVS030	READY TO USE AFCVS03P	READY TO USE AFCVS03G	READY TO USE AFCEV04R	READY TO USE AFCEV04B	READY TO USE AFCEV04O
AUDI, JAGUAR, PORSCHE & VW	FORD, LINCOLN & MERCURY	JEEP, RAM, DODGE & CHRYSLER	FORD, CHRYSLER & FCA	TOYOTA & LEXUS	BMW, MINI, VOLVO, SMART & TESLA	GM, FORD, CHRYSLER & FCA
PINK	ORANGE	PURPLE	GOLD	RED	BLUE	ORANGE
5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION	10 YEARS / 300,000 MILES EXTENDED LIFE PROTECTION	10 YEARS / 300,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION	5 YEARS / 150,000 MILES EXTENDED LIFE PROTECTION
50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE
TECHNOLOGY & FORMULA SPECS						
OAT & G30®/G12®	POAT, OAT, HOAT & G05®	OAT, HOAT & G05®	HOAT	OAT	Si-HOAT	OAT
ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985	ASTM D3306 ASTM D4985 ASTM D6210	ASTM 3306 TSK 26026-8A JISK2234	ASTM 03306 BS 6580	ASTM D3306 GM990610 FORD WSS-M97B44-D2 FORD WSS-M97B57-A2 GM6277M GMW3420
WORKS WITH ALL ALUMINUM & CAST IRON COMPONENTS						



Manufacturer of Automotive and Industrial Fluids.

www.electropower.akvgroups.com

PRODUCT DETAILS

Vehicle Specific Antifreeze+Coolant

Asian Vehicle Antifreeze + Coolant

50/50 READY TO USE EXTENDED LIFE PROTECTION Protects up to 10 Years- 300,000 Miles	COLOR	PART#	PACK
	RED	AFCVS01R	6/1 GAL.
	BLUE	AFCVS01B	6/1 GAL.
	GREEN	AFCVS01G	6/1 GAL.



European Vehicle Antifreeze + Coolant

50/50 READY TO USE EXTENDED LIFE PROTECTION Protects up to 5 Years- 150,000 Miles	COLOR	PART#	PACK
	TEAL	AFCVS02T	6/1 GAL.
	VIOLET	AFCVS02V	6/1 GAL.
	PINK	AFCVS02P	6/1 GAL.



American Vehicle Antifreeze + Coolant

50/50 READY TO USE EXTENDED LIFE PROTECTION Protects up to 10 Years- 300,000 Miles	COLOR	PART#	PACK
	ORANGE	AFCVS03O	6/1 GAL.
	PURPLE	AFCVS03P	6/1 GAL.
	GOLD	AFCVS03G	6/1 GAL.















PRODUCT DETAILS

Diesel Spec Technology Compatibility

Heavy Duty Antifreeze+Coolant Reference Chart

HEAVY DUTY TRUCK CLASSIFICATION & MOST COOLANT COLORS

Maintain Effective Cooling System Performance		Diesel Spec NITRATE FREE ELC Yellow	Diesel Spec NITRATE FREE ELC Red	Diesel Spec ESI Purple	Diesel Spec NITRATE ELC Red
Meet industry standards and performance needs by using the right antifreeze/coolant					
Class 8 33,001+	 CEMENT TRUCK TRUCK TRACTOR DUMP TRUCK SLEEPER CAB				
Class 7 26,001 to 33,000 lbs	 CITY TRANSIT BUS TRUCK TRACTOR REFUSE FURNITURE	AFC1301	AFC0301	AFC2301	AFC 3301
Class 6 19,501 to 26,000 lbs	 BEVERAGE TRUCK RACK TRUCK SINGLE-AXLE SCHOOL BUS	Works with Class 1-8	Works with Class 1-8	Works with Class 8-6	Works with Class 8-6
Class 5 16,001 to 19,500 lbs	 LARGE WALK-IN CITY DELIVERY BUCKET TRUCK				
Class 4 14,001 to 16,000 lbs	 CITY DELIVERY BOX TRUCK LARGE WALK-IN				
Class 3 10,001 to 14,000 lbs	 HEAVY-DUTY PICKUP BOX TRUCK CITY DELIVERY WALK-IN				
Class 2 6,001 to 10,000 lbs	 CARGO VAN FULL-SIZE PICKUP STEP VAN MINIVAN				
Class 1 6,000 lbs or less	 MINIVAN CARGO VAN SUV MINIVAN				

This chart is based on industry research. Check your owners manual specific to Antifreeze+Coolant. Changes in data/discrepancies and formulas may occur.



ELECTRO POWER

Powering Performance. Protecting Engines.

PRODUCT DETAILS

Diesel Spec Antifreeze+Coolant



Diesel Spec Antifreeze + Coolant Universal

EXTENDED LIFE PROTECTION READY TO USE 50/50

COLOR	PART #	PACK
YELLOW	AFC1301	6/1 GAL.
RED	AFC0301	6/1 GAL.
PURPLE	AFC2301	6/1 GAL.
DARK RED	AFC3301	6/1 GAL.

EXTENDED LIFE PROTECTION CONCENTRATE

COLOR	PART #	PACK
YELLOW	AFC1201	6/1 GAL.
RED	AFC0201	6/1 GAL.
PURPLE	AFC2201	6/1 GAL.
DARK RED	AFC3201	6/1 GAL.



Also available in 55 GAL. Drums



Manufacturer of Automotive and Industrial Fluids.
www.electropower.akvgroups.com

ELECTRO POWER

Powering Performance. Protecting Engines.



ENGINE COOLANTS

BUILT FOR EXTREME CONDITIONS, PROVIDES SUPERIOR PROTECTION

ELECTRO POWER U.S.A.

2010 E Walnut Street,
Paris, Arkansas - 72855 (U.S.A.)

+1 438 270 7860

ELECTRO POWER AUSTRALIA

11 Carbine Street, Box Hill,
Sydney, NSW 2765, Australia

+61 416 607 676

ELECTRO POWER CANADA

84 Vivians Crescent,
Brampton, ON, Canada – L6Y 4V2

+1 647 987 8761

ELECTRO POWER MENA

FZSSBA04, South Zone JAFZA,
Near Gate 14, Dubai,
United Arab Emirates (U.A.E.)

ELECTRO POWER INDIA

2/59/1, Sree Colony,
Jadavapur, Kolkata, W.B. India

+91 81016 41434



Contact Us

+1 438 270 7860
+1 647 987 8761
+91 81016 41434

info@electropower.akvgroups.com
sales@electropower.akvgroups.com
www.electropower.akvgroups.com

Follow us :

